#### §835.606

shall also provide sufficient information to permit individuals handling, using, or working in the vicinity of the items or containers to take precautions to avoid or control exposures.

[63 FR 59684, Nov. 4, 1998]

# §835.606 Exceptions to labeling requirements.

- (a) Items and containers may be excepted from the radioactive material labeling requirements of §835.605 when:
- (1) Used, handled, or stored in areas posted and controlled in accordance with this subpart and sufficient information is provided to permit individuals to take precautions to avoid or control exposures; or
- (2) The quantity of radioactive material is less than one tenth of the values specified in appendix E of this part and less than 0.1 Ci: or
- (3) Packaged, labeled, and marked in accordance with the regulations of the Department of Transportation or DOE Orders governing radioactive material transportation; or
- (4) Inaccessible, or accessible only to individuals authorized to handle or use them, or to work in the vicinity; or
- (5) Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks; or
- (6) The radioactive material consists solely of nuclear weapons or their components.
- (b) Radioactive material labels applied to sealed radioactive sources may be excepted from the color specifications of §835.601(a).

[63 FR 59684, Nov. 4, 1998, as amended at 72 FR 31927, June 8, 2007]

#### Subpart H—Records

### §835.701 General provisions.

- (a) Records shall be maintained to document compliance with this part and with radiation protection programs required by §835.101.
- (b) Unless otherwise specified in this subpart, records shall be retained until final disposition is authorized by DOE.

## § 835.702 Individual monitoring records.

(a) Except as authorized by §835.702(b), records shall be maintained

- to document doses received by all individuals for whom monitoring was conducted and to document doses received during planned special exposures, unplanned doses exceeding the monitoring thresholds of §835.402, and authorized emergency exposures.
- (b) Recording of the non-uniform equivalent dose to the skin is not required if the dose is less than 2 percent of the limit specified for the skin at §835.202(a)(4). Recording of internal dose (committed effective dose or committed equivalent dose) is not required for any monitoring result estimated to correspond to an individual receiving less than 0.01 rem (0.1 mSv) committed effective dose. The bioassay or air monitoring result used to make the estimate shall be maintained in accordance with §835.703(b) and the unrecorded internal dose estimated for any individual in a year shall not exceed the applicable monitoring threshold at §835.402(c).
- (c) The records required by this section shall:
- (1) Be sufficient to evaluate compliance with subpart C of this part;
- (2) Be sufficient to provide dose information necessary to complete reports required by subpart I of this part;
- (3) Include the results of monitoring used to assess the following quantities for external dose received during the year:
- (i) The effective dose from external sources of radiation (equivalent dose to the whole body may be used as effective dose for external exposure);
- (ii) The equivalent dose to the lens of the eve:
- (iii) The equivalent dose to the skin; and
- (iv) The equivalent dose to the extremities.
- (4) Include the following information for internal dose resulting from intakes received during the year:
  - (i) Committed effective dose;
- (ii) Committed equivalent dose to any organ or tissue of concern; and
  - (iii) Identity of radionuclides.
- (5) Include the following quantities for the summation of the external and internal dose:
  - (i) Total effective dose in a year;
- (ii) For any organ or tissue assigned an internal dose during the year, the